

Amendments to the claims:

This listing of the claims will replace all prior versions and listings of the claims in the application:

Listing of Claims:

1. (Currently amended) ~~Portable~~ A portable electronic device (10) comprising:
a first part (12) ~~including comprising~~ comprising electrical circuits and having an exterior side (30), an interior side (24), and top and bottom (20) sides[[,]];
a second part (14) ~~also including comprising~~ comprising electrical circuits and ~~also~~ having an exterior side (16), an interior side (22) and top and bottom (18) sides[[,]];
at least one hinge (36) connecting the bottom sides of the first and second parts to each other and allowing rotation of one of the first and second parts ~~part with~~ approximately 360 degrees relative to the other of the first and second parts ~~in relation to the other part~~, and
~~at least one~~ a first set (32, 34) of flexible electrical conductors connected to the first part (12) at the exterior side (30) adjacent the bottom side (20) thereof and to the second part (14) at the interior side (22) adjacent the bottom side (18) thereof.
2. (Currently amended) ~~Portable~~ The portable electronic device according to claim 1, wherein the first set of electrical conductors (32) ~~stretches round~~ stretches around the bottom side (20) of the first part (12) when the portable electronic device is folded.
3. (Currently amended) ~~Portable~~ The portable electronic device according to claim 2, wherein the first set of electrical conductors (32) ~~stretches round~~ stretches around the bottom side (18) of the second part (14) when ~~a part is~~ the first and second parts are rotated with approximately 360 degrees relative to each other ~~in relation to the other part~~.
4. (Currently amended) ~~Portable~~ The portable electronic device according to claim 2 ~~any previous claim~~, wherein the first set of conductors ~~is~~ are ~~essentially provided~~ at right angles to ~~both~~ the bottom sides of the first and second parts.

5. (Currently amended) ~~Portable~~ The portable electronic device according to claim 2, any previous claim, wherein the first set of flexible electrical conductors is separate from the hinge structure of the portable electronic device.

6. (Currently amended) ~~Portable~~ The portable electronic device according to claim 2, any previous claim, further comprising including a second set of flexible electrical conductors connected to the second part (14) at the exterior side (16) adjacent the bottom side (18) thereof and to the first part (12) at the interior side (24) adjacent the bottom side (20) thereof.

7. (Currently amended) ~~Portable~~ The portable electronic device according to claim 6, wherein the second set of flexible electrical conductors stretch ~~round~~ around the bottom side of the second part when the portable electronic device is folded.

8. (Currently amended) ~~Portable~~ The portable electronic device according to claim 1, any previous claim, wherein both the bottom sides of the first and second parts have a rounded shape.

9. (Currently amended) ~~Portable~~ The portable electronic device according to claim 2, any previous claim, wherein ~~both the bottom sides of the first and second parts have~~ are provided with at least one groove therein that is configured to receive the first for ~~receiving a~~ set of flexible electrical conductors.

10. (Currently amended) ~~Portable~~ The portable electronic device according to claim 1, any previous claim, wherein one of the parts comprises is provided with gears (38) ~~at~~ connected to its bottom side and the other part of the parts is provided with gaps (40), with which the gears mesh.

11. (Currently amended) ~~Portable~~ The portable electronic device according to ~~claim 1, any previous claim,~~ wherein ~~the~~ at least one hinge (36) ~~is in the form of~~ comprises a plate ~~comprising~~ having two sections, ~~each of the two sections of the plate having~~ defining an axis of rotation that is displaced in the plane of the plate from the axis of rotation of the other of the two sections, in the plane of the plate and each of the two sections of the plate ~~having~~ section has a protrusion (46) on both opposite sides in the a middle of an area of the section that corresponds to the axis of rotation ~~defining the axis.~~

12. (Currently amended) ~~Portable~~ The portable electronic device according to claim 11, wherein each of the parts has ~~part is provided with~~ a slit (43) ~~for receiving~~ configured to receive one of the sections of the plate, a section and each of the parts further defines cavities on opposite sides of the slit ~~is provided with cavities (44) on both sides~~ within the interior of ~~a part for receiving the parts configured to receive~~ the protrusions (46) ~~of said section for securing the sections and to secure the hinge (36) in said part~~ the parts.

13. (Currently amended) ~~Portable~~ The portable electronic device according to ~~claim 1, any previous claim,~~ wherein ~~[[a]]~~ the first set of flexible electrical conductors is ~~provided in the form of~~ comprises a flex film.

14. (Currently amended) ~~Portable~~ The portable electronic device according to ~~claim 1, any of claims 1-11,~~ wherein ~~[[a]]~~ the first set of flexible electrical conductors is ~~provided as~~ comprises a cable ~~comprising a number of~~ having a plurality of wires.

15. (Currently amended) ~~Portable~~ The portable electronic device according to ~~claim 1, any previous claim,~~ wherein the first part (12) ~~includes~~ comprises an image captioning unit having a lens (48) on the interior side of the first part, (24) and the second part (14) ~~includes~~ comprises a display (28) ~~provided on the interior side (22) of the second~~ part.

16. (Currently amended) ~~Portable~~ The portable electronic device according to claim 1, ~~any previous claim~~, wherein the device is comprises a cellular phone.

17. (Currently amended) ~~Portable~~ A portable electronic device (10) comprising:
a first part (12) ~~including~~ comprising electrical circuits and having an exterior side (30), an interior side (24), and top and bottom (20)-sides[.,,];

a second part (14) ~~also including~~ comprising electrical circuits and ~~also~~ having an exterior side (16), an interior side (22) and top and bottom (18)-sides[.,,]; and

at least one hinge (36) connecting the bottom sides of the first and second parts to each other and allowing rotation of one of the first and second parts ~~part in relation to the other part with~~ approximately 270 degrees relative to the other of the first and second parts[.,,];

wherein the first part (12) comprises an image captioning unit having a lens (48) on the interior side of the first part, and the second part (14) comprises a display (28) ~~provided~~ on the interior side of the second part.

18. (Currently amended) ~~Portable~~ The portable communication device according to claim 17, wherein the hinge allows rotation of one of the first and second parts approximately 360 degrees relative to the other of the first and second parts ~~part in relation to the other with approximately 360 degrees~~.

19. (Currently amended) ~~Portable~~ The portable communication device according to claim 17 ~~or 18~~, wherein ~~at least one first~~ a set (32, 34) of flexible electrical conductors are connected between the first part and the second part ~~for providing electrical connection between~~ and electrically connected the electrical circuits of the first and second parts.